

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	364	710/7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S2	699	710/20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S3	359	710/21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S4	2134	710/52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S5	1348	710/62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S6	4063	S1 or S2 or S3 or S4 or S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:13
S7	21	S6 and (combin\$5 or incorporat\$4 or add?????) near2 (plurality or multiple) near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:22
S8	57	(combin\$5 or incorporat\$4 or add?????) near2 (plurality or multiple) near2 data with (identification or ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:23

S9	57	S8 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:51
S10	2	S9 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:24
S11	1710	data near2 id near3 (buffer\$4 or queu\$4 or memor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:52
S12	1273	data near2 id near3 (buffer\$4 or queu\$4 or memor\$4) near2 id	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:52
S13	382	(data near2 id near3 (buffer\$4 or queu\$4 or memor\$4) near2 id).ti, ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:53
S14	1	S13 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:53
S15	42	(data adj id near2 (buffer\$4 or queu\$4 or memor\$4)).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 18:54
S16	1897	data with (match\$3 or correspond\$3) with (identification or id) with (memor\$3 or queu\$3 or buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:48

S17	465	(data with (match\$3 or correspond\$3) with (identification or id) with (memor\$3 or queu\$3 or buffer\$3)).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:51
S18	3	S17 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:48
S19	12	(data near2 part\$2 with (match\$3 or correspond\$3) with (identification or id) with (memor\$3 or queu\$3 or buffer\$3)).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:50
S20	207	(data near2 (identification or id) with (match\$3 or correspond\$3) with (identification or id) with (memor\$3 or queu\$3 or buffer\$3)).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 13:52
S21	5417	autocorrelation	USPAT	OR	OFF	2005/03/31 15:48
S22	36	autocorrelation adj vector	USPAT	OR	OFF	2005/03/31 15:53
S23	0	autocorrelation adj vector with output adj port	USPAT	OR	OFF	2005/03/31 15:52
S24	1	S22 and "710"/\$.ccls.	USPAT	OR	OFF	2005/03/31 15:53